

Report Number: 14-213-0204

Account Number: 11035

Submitted By: JOEL SANTOS



A&L Eastern Laboratories, Inc.

7621 Whitepine Road Richmond, Virginia 23237 (804) 743-9401 Fax (804) 271-6446

Send To: Terra Renewal LLC
12812 VALLEY VIEW ST
SUITE 9
GARDEN GROVE, CA 92845

Project : CSD1
AZ#0629

Lab Number : 56813

Sample Id : CSD1

REPORT OF ANALYSIS

Date Sampled: 7/30/2014 08:00:00

Date Received: 08/01/2014 00:00

Date Reported: 08/08/2014

PARAMETER	RESULT (%)	RESULT (mg/kg)	QUANTITATION LIMIT (mg/kg*)	ANALYST	ANALYSIS DATE/TIME	METHOD
Total Solids *	97.02	970200	100.0	JM	08/01/2014 15:04	SM-2540G
Moisture *	2.98		100.0	JM	08/01/2014 15:04	SM-2540G
Total Kjeldahl Nitrogen	5.34	53400	0	tw	08/04/2014 08:39	SM-4500-NH3C-TKN
Total Phosphorus	2.02	20200	100	KM	08/04/2014 14:50	SW-6010B
Total Potassium	0.45	4510	100	KM	08/04/2014 14:50	SW-6010B
Total Sulfur	1.01	10100	100	KM	08/04/2014 14:50	SW-6010B
Total Calcium	2.66	26600	100	KM	08/04/2014 14:50	SW-6010B
Total Magnesium	0.74	7400	100	KM	08/04/2014 14:50	SW-6010B
Total Sodium	0.22	2190	100	KM	08/04/2014 14:50	SW-6010B
Total Iron		12300	100	KM	08/04/2014 14:50	SW-6010B
Total Aluminum		15400	100	KM	08/04/2014 14:50	SW-6010B
Total Manganese		267	5	KM	08/04/2014 14:50	SW-6010B
Total Copper		229	5	KM	08/04/2014 14:50	SW-6010B
Total Zinc		938	5	KM	08/04/2014 14:50	SW-6010B
Ammonia Nitrogen	0.39	3870	10.0	MW	08/04/2014 08:39	SM-4500-NH3C
Organic N	4.95	49530	10.0		08/04/2014 08:39	CALCULATION
Nitrate+Nitrite-N		771	2.00	TW	08/04/2014 10:20	SM-4500NO3F
Total Cadmium		2.0	2.0	KM	08/04/2014 14:50	SW-6010B

All values are on a dry weight basis except as noted by asterisk. Detection limit on all N series is on a wet basis.

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

Debbie Holt

DENALI_001668

Report Number: 14-213-0204

Account Number: 11035

Submitted By: JOEL SANTOS

**A&L Eastern Laboratories, Inc.**

7621 Whitepine Road Richmond, Virginia 23237 (804) 743-9401 Fax (804) 271-6446

Send To: Terra Renewal LLC
12812 VALLEY VIEW ST
SUITE 9
GARDEN GROVE , CA 92845

Project : CSD1
AZ#0629

Lab Number : 56813

Sample Id : CSD1

REPORT OF ANALYSIS

Date Sampled: 7/30/2014 08:00:00

Date Received: 08/01/2014 00:00

Date Reported: 08/08/2014

PARAMETER	RESULT (%)	RESULT (mg/kg)	QUANTITATION LIMIT (mg/kg*)	ANALYST	ANALYSIS DATE/TIME	METHOD
Total Chromium		217	5	KM	08/04/2014 14:50	SW-6010B
Total Nickel		43	5	KM	08/04/2014 14:50	SW-6010B
Total Lead		15	5	KM	08/04/2014 14:50	SW-6010B
Total Arsenic		5.0	3.0	KM	08/04/2014 14:50	SW-6010B
Total Mercury		2.1	0.4	KM	08/04/2014 14:00	SW-7471A
Total Selenium		13.0	5.0	KM	08/04/2014 14:50	SW-6010B
Total Molybdenum		20	5	KM	08/04/2014 14:50	SW-6010B

Comments:

SULFUR NOT FOR COMPLIANCE PURPOSES.

QUALIFIER: THE MATRIX SPIKE WAS OUT OF LIMITS FOR "Ca", THE MATRIX SPIKE DUPLICATE WAS OUT OF LIMITS FOR NO3+NO2-N, ALL OTHER QC DATA WAS ACCEPTABLE.

All values are on a dry weight basis except as noted by asterisk. Detection limit on all N series is on a wet basis.

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

Debbie Holt

DENALI_001669